Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(("6572591") or ("6261268") or ("5788675") or ("5470319")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/16 11:36
L2	60	("3977555" "4063460" "4134512" " 4246899" "4301936" "4338764" "46 55752" "4838855" "4874377" "4909 798" "5064416" "5100394" "512212 3" "5122129" "5154703" "5158554"  "5171234" "5188620" "5201725" " 5203775" "5207661" "5215538" "52 34413" "5242425" "5242432" "5250 033" "5269771" "5273533" "527354 5" "5286453" "5324256" "5330435"  "5336192" "5360012" "5360413" " 5380306" "5401245" "5470319" "54 74544" "5487728" "5501426" "5509 912" "5514116" "5520665" "5578059"  "5616129" "5616130" "5620434" " 5638663" "5669891" "5685866" "56 88254" "5690612" "5694686" "5695 466" "5699821" "5700248").PN.	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2005/09/16 11:30
L3	3	(("5064416") or ("4610469") or ("4387879")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/16 11:36
L4	55	("4496348"   "4512766"   "4917668"   "4966588"   "4998927"   "5108380"   "5195980"   "5211634"   "5234410"   "5300034"   "5330435").PN. OR ("5549566"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/16 11:42
L6	19	2 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:46
L7	314	connector and valve and needleless	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:45
L8	14	7 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:46
L9	88	needleless adj valve	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:47
L10	3	9 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 12:26
L11	102	needleless adj connector	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:47

L12	0	11 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:47
L13	6100	(604/246 604/247 604/256 604/167.02 604/164.01 604/167.01 604/167.02 604/167 604/249 604/257)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:49
L14	1401	13 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:51
L15	992	14 and ( connector needleless needless valve)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:52
L16	685	15 and flexible	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:50
L17	86	16 and spike	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:50
L19	485	604/523.ccls. and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:51
L20	163	19 and ( connector needleless needless valve)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 11:56
L21	21	PCT/us92/10367	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 12:04
L22	2	(("5509912") or ("5514116")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/16 12:21
L23	1	("6572591").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/16 12:25
L24	25789	connector and ( septum seal reseal) with ( opening aperture hole)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 12:27
L25	8177	24 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 12:27
L26	526	25 and "604"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 12:27
L27	188	needleless and connector and ( septum seal reseal) with ( opening aperture hole)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 12:27
L28	6	27 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 12:30

Ľ	29	363	valve same connector and ( septum) same opening	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 12:30
L3	30	39	29 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 13:14
L3	31	858	604/249	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 13:17
L	32	215	31 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 13:18
L3	33	2038	604/246	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 13:17
Li	34	564	33 and @AD <="19910620"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 13:25

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L36	18803	(housing house case casing connector) and ((reseal septum seal) near3 (aperture opening slit slot)) and flange	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 14:24
L37	1160	((housing house case casing connector) and ((reseal septum seal) near3 (aperture opening slit slot)) and flange).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/16 14:25
L38	192	((housing house case casing connector) and ((reseal septum seal) near3 (aperture opening slit slot)) and flange).clm.	US-PGPUB	OR	ON	2005/09/16 14:25